

Univ. Prof. Dr. Martin Clodi, Universität Wien, Klinik für Innere Medizin III,
Abteilung für Endokrinologie und Stoffwechsel;
Medical University Vienna, Internal Medicine, Department of Endocrinology
and Metabolism

Literaturliste: Publikationen abrufbar unter www.martinclodi.at

Gesamt Impact Punkte: 310, seit der Habilitation 1999: 175 Impact Punkte

Publikationen seit Habilitation sind ab Nummer 33 angeführt

- 1) A. Luger, B. Watschinger, P. Deuster, T. Svoboda, **M. Clodi**, G.P. Chrousos:
Plasma Growth Hormon and Prolactin responses to graded levels of acute exercise and
lactate infusion. Neuroendocrinology 1992;56:112-117
- 2) T. Svoboda, A. Wagner, P. Speiser, **M. Clodi**, A. Luger: Epidermal Growth Factor
plasma concentrations in healthy control persons, acute and chronic stress
during pregnancy. Horm Metab Res. 1992;24:582-584.
- 3) **M. Clodi**, T. Svoboda, H. Kotzmann, R. Deyssig, W. Woloszczuk, CC. Zielinski, A.
Luger: Effect of elevated serum prolactin concentrations on cytokine production and
natural killer cell activity. Neuroendocrinology 1992;56:775-779.
- 4) H. Gisslinger, T. Svoboda, **M. Clodi**, B. Gilly, H. Ludwig, R. Hawelec, A. Luger:
Interferon alpha stimulates the Hypothalamic-Pituitary-Adrenal-Axis in vivo and in
vitro. Neuroendocrinology 1993;57:489-495.
- 5) B. Ludvik, **M. Clodi**, A. Kautzky-Willer, M. Capek, E. Hartter, G. Pacini, R. Prager:
Effects of dexamethasone on insulin sensitivity, islet amyloid polypeptide and insulin
secretion in humans. Diabetologia 1993;36:84-87.
- 6) T. Svoboda, H. Kotzmann, **M. Clodi**, P. Bernecker, G. Geyer, A. Luger: The non ergot
D2-dopamine agonist CV 205-502 decreases growth hormone concentrations in
acromegalic patients. Endocr Res 1994;20:59-63.
- 7) W. Pirker, T. Brücke, M. Riedl, **M. Clodi**, A. Luger, S. Asenbaum, I. Podrecca and
L. Deecke: Iodine-123-IBZM-SPECT:studies in 15 patients with pituitary tumors.
J Neural Transm [GenSect] 1994;97:235-244.
- 8) A. Kautzky-Willer, K. Thomaseth, G. Pacini, **M. Clodi**, B. Ludvik, C. Strelti,
W. Waldhäusl, R. Prager: Role of islet amyloid polypeptide secretion in insulin-
resistant humans. Diabetologia 1994;37:188-194.
- 9) B. Ludvik, **M. Clodi**, A. Kautzky-Willer, M. Schuller, H. Graf, E. Hartter, G. Pacini
and R. Prager: Increased levels of circulating Islet Amyloid Polypeptide in
patients with chronic renal failure have no effect on insulin secretion.
J. Clin. Invest. 1994;94:2045-2050.

- 10) P. Fürnsinn, H. Leuvenink, M. Roden, P. Nowotny, B. Schneider, M. Rohac, T. Pieber, M. Clodi, and W. Waldhäusl: Islet amyloid polypeptide inhibits insulin secretion in conscious rats. *Am. J. Physiol.* 1994;267(Endocrinol.Metab.30):E300-E305
- 11) H. Kotzmann, T. Svoboda, P. Bernecker, **M. Clodi**, W. Woloszczuk, B. Niederle, W. Waldhäusl, A. Luger: Dinatriumpamidronat (APD) als Therapie der Hypercalciämie bei primärem Hyperparathyreoidismus. *Wien Klin Wochenschr* 1994;106:422-425
- 12) H. Kotzmann, M. Köller, S. Czernin, **M. Clodi**, T. Svoboda, M. Riedl, G. Boltz-Nitulescu, CC. Zielinski, A. Luger: Effect of elevated Growth hormone concentrations on the phenotype and functions of human Lymphocytes and natural killer cells. *Neuroendocrinology* 1994;60:618-625
- 13) F. Längle, T. Soliman, N. Neuhold, G. Widhalm, B. Niederle, S. Roka, K. Kaserer, W. Blauensteiner, K. Dam, **M. Clodi**, J. Flores, A. Loidl, B. Schwarzmüller, E. Huber, G. Jahl, K. Wamprechtsberger, R. Roka: CD 15 (LeuM1) immunoreactivity: prognostic factor for sporadic and hereditary medullary thyroid cancer? *World-J-Surg* 1994;18:583-587.
- 14) H. Kotzmann, M. Linkesch, B. Ludvik, **M. Clodi**, A. Luger, G. Schernthaner, R. Prager, R. Klauser. Effect of danazol induced chronic hyperglucagonemia on glucose tolerance and turnover. *Eur J Clin Invest* 1995;25:942-947
- 15) **M. Clodi**, H. Kotzmann, G. Fischer, M. Riedl, O. Presslich, C. Schneider, K. Diamant, A. Luger. Life threatening hemolysis in a 27 year old drug addict. *European Psychiatry* 1995;10: 416 (letter)
- 16) H. Kotzmann, M. Riedl, **M. Clodi**, U. Barnas, A. Kaider, P. Höcker, A. Luger. The influence of growth hormone substitution therapy on erythroid and myeloid progenitor cells and on peripheral blood cells in adult patients with growth hormone deficiency. *Eur J Clin Invest* 1996;12:1175-1181
- 17) A. Kautzky-Willer, K. Thomaseth, **M. Clodi**, B. Ludvik, W. Waldhäusl, R. Prager, G. Pacini: B-cell activity and hepatic insulin extraction following dexamethasone administration in healthy subjects. *Metabolism* 1996;45:486-491
- 18) U. Hoffmann, C. Kurek, K. Kostner, C. Scholten, **M. Clodi**, I. Lang, T. Stefenelli: Atypical elevation of creatinin phosphokinase and isoenzymes (CK-MB) levels in a patient with mitral valve disease. *Europ. Heart J.* 1996;17:1764-5 (letter)
- 19) **M. Clodi**, H. Kotzmann, M. Riedl, A. Schmidt, U. Barnas, F. Mühlbacher, G. Mustafa, W. Hörl, W. Waldhäusl, G. Mayer and A. Luger: The long acting dopamine agonist bromocriptine mesylate as additive immunosuppressive drug after kidney transplantation. *Nephrology Dialysis Transplantation* 1997; Apr, V12N4:748-752
- 20) M. Köller, H. Kotzmann, **M. Clodi**, M. Riedl, A. Luger. Effect of elevated serum prolactin concentration on the immuno-phenotype of human lymphocytes, mitogen induced proliferation and phagocytic activity of polymorphonuclear cells. *Eur J Clin Invest* 1997;Aug 27(8):662-666

- 21) K. Thomaseth, G. Pacini, **M. Clodi**, A. Kautzky-Willer, J.J. Nolan, R. Prager, J.M. Olefsky, B. Ludvik. Amylin release during oral glukose tolerance test. *Diabetic Medicine* 1997;14:S29-S34
- 22) H. Kotzmann, C. Abela, J. Heindl, **M. Clodi**, M. Riedl, U. Barnas, K. Geissler, B. Niederle, W. Waldhäusl, A. Luger. Effect of successful parathyroidectomy on hematopoietic progenitor cells and parameters of red blood cells in patients with primary hyperparathyroidism. *Horm Metab Res* 1997; V29,N8:387-392
- 23) **M. Clodi**, R. Oberbauer, W. Waldhäusl, G. Maurer, G. Kostner, K. Kostner: Urinary excretion of apo (a) fragments in NIDDM patients. *Diabetologia* 1997; 40:1455-1460
- 24) H. Kotzmann, M. Riedl, P. Bernecker, **M. Clodi**, F. Kainberger, A. Kaider, W. Woloszczuk, A. Luger: Effect of long-term growth-hormone substitution therapy on bone mineral density and parameters of bone metabolism in adult patients with growth hormone deficiency. *Calcified Tissue Int* 1998; Jan, V62 N1:40-46
- 25) **M. Clodi**, M. Riedl, S. Schmaldienst, A. Vichytil, H. Kotzmann, A. Kaider, G. Mayer, C. Bieglmayer, W. Waldhäusl, A. Luger: Adrenal function in patients with chronic renal failure. *Am J Kidney Diseases* 1998 Jul, V32 N1:52-55.
- 26) **M. Clodi**, K. Thomaseth, G. Pacini, K. Hermann, A. Kautzky-Willer, W. Waldhäusl, R. Prager, B. Ludvik: Distribution and kinetics of amylin in humans. *Am J Physiol-Endocrinol and Metab* 1998; May, V37 N5:E903-E908.
- 27) K. Kostner, **M. Clodi**, B. Watschinger, W. Hörl, K. Derfler, K. Huber: Decreased uirinary apo(a) excretion in patients with impaired renal function. *Eur J Clin Invest.* 1998; Jun, 28(6): 447-452.
- 28) H. Kotzmann, M. Koller, C. Abela, **M. Clodi**, M. Riedl, W. Graninger, B. Niederle, A. Luger: Effects of parathyroid hormone and serum calcium on the phenotype and function of mononuclear cells in patients with primary hyperparathyroidism. *Eur J Clin Invest* 1998; May, 28(5): 353-358
- 29) **M. Clodi**, J. Klarlund, P. Vollenweider, N. Nakashima, M. Czech, J. Olefsky: Effects of GRP1 (General Receptor for Phosphoinositides 1) on Insulin and IGF I induced GLUT 4 Translocation, Membrane Ruffling and DNA Synthesis. *Endocrinology* 1998; 139:4984-490.
- 30) P. Vollenweider, **M. Clodi**, S. Martin, T. Imamura, W. Kavanaugh, J. M. Olefsky: An SH2 containing 5'Inositolphosphatase (SHIP) inhibits insulin-induced GLUT4 Translocation and Growth factors induced Actin Filament rearrangement. *Molecular and Cellular Biology*, 1999, V19 N2:1081-1091.
- 31) **M. Clodi**, R. Oberbauer R, Bodlaj G, Hofmann J, Maurer G, Kostner K.: Urinary excretion of apolipoprotein(a) fragments in type 1 diabetes mellitus patients. *Metabolism.* 1999 Mar; 48(3):369-72.

- 32) T. Imamura, P. Vollenweider, K. Egawa, **M. Clodi**, K. Ishibashi, N. Nakashima, S. Ugi, J. Adams, J. Brown, J. Olefsky: G Alpha-q/11 protein plays a key role in insulin-induced glucose transport in 3T3-L1 adipocytes
Molecular and Cellular Biology, 1999, 10 V19:6765-6774.
-
- 33) Blank D, Riedl M, Reitner A, Schnack C, Schernthaner G, **Clodi M**, Frisch H, Luger A: Growth hormone replacement therapy is not associated with retinal changes.
J Clin Endocrinol Metab 2000 Feb;85(2):634-6
- 34) Kostner K, Clodi M, Bodlaj G, Hoffmann U, Hermann K, Maurer G, Pacher R, Horl WH: Urinary apo(a) excretion is not altered by changes in glomerular filtration rate and renal plasma flow in healthy males.
Wien Klin Wochenschr 2000 Feb 11;112(3):121-5
- 35) Roden M, Ludwig C, Nowotny P, Schneider B, **Clodi M**, Vierhapper H, Roden A, Waldhausl W: Relative hypoleptinemia in patients with type 1 and type 2 diabetes mellitus.
Int J Obes Relat Metab Disord 2000 Aug;24(8):976-81
- 36) M. Riedl, B. Ludvik, G. Pacini, **M. Clodi**, H. Kotzmann, O. Wagner, A. Kautzky-Willer, R. Prager and A. Luger: The increased insulin sensitivity in growth hormone-deficient adults is reduced by growth hormone replacement therapy
Eur J Clin Invest. 2000 Sep;30(9):771-8.
- 37) Riedl M, **M. Clodi**, Kotzmann H, Hainfellner JA, Schima W, Reitner A, Czech T, Luger : Apoplexy of a pituitary macroadenoma with reversible third, fourth and sixth cranial nerve palsies following administration of hypothalamic
Eur J Radiol 2000 Oct;36(1):1-4
- 38) **M. Clodi**
Kortikosteroide im septischen Schock
Wien. Med. Wschr. 2002;152;555-558
- 39) M. Riedl, **M. Clodi**
Lipide und Diabetes
J Kardiologie 2002; 9:317-320
- 40) B. Ludvik, K. Thomaseth, J. Nolan, **M. Clodi**, R. Prager, G. Pacini
Inverse relation between amylin and glucagon secretion in healthy and diabetic subjects, Europ. J. of Clin. Invest. 2003;33:316-322
- 41) Koller MD, Templ E, Riedl M, **M. Clodi**, Wagner O, Smolen JS, Luger A.
Pituitary function in patients with newly diagnosed untreated systemic lupus erythematosus.
Ann Rheum Dis. 2004 Dec;63(12):1677-80. Epub 2004 Apr 13.
- 42) Maier C, Riedl M, **M. Clodi**, Bieglmayer C, Mlynarik V, Trattnig S, Luger A.
Dynamic contrast-enhanced MR imaging of the stimulated pituitary gland.
Neuroimage. 2004 May;22(1):347-52.

- 43) Biesenbach G, Auinger M, **M. Clodi**, Prischl F, Kramar R;
Diabetic Nephropathy Study Group of the Austrian Society of Nephrology.
Prevalence of LADA and frequency of GAD antibodies in diabetic patients
with end-stage renal disease and dialysis treatment in Austria.
Nephrol Dial Transplant. 2005 Mar;20(3):559-65.
- 44) Ch. Bieglmayer, **M. Clodi**, S. Kudlacek
Biomarker in der Osteologie: Aktueller Stand
Journal für Mineralstoffwechsel 2006, S 12-16
- 45) GM. Wieselthaler, M. Riedl, H. Schima, O. Wagner, W. Waldhäusl, E. Wolner, A.
Luger, **M. Clodi**.
Endocrine Function is not impaired in Patients With a Continuous MicroMed-
DeBakey Axial Flow Pump
J Card Thor Surg 2007 Jan;133(1):2-6
- 46) **M. Clodi**, G. Locker, K. Lenz: Therapievorenthalt und Therapiereduktion bei
invasiven Maßnahmen und künstlicher Ernährung bei schwerstkranken Patienten.
Imago hominis, Band 13 – Heft 4 – 2006
- 47) C. Maier, M. Riedl, G. Vila, P. Nowotny, M. Wolzt, **M. Clodi**, B. Ludvik, A. Luger
Cholinergic regulation of ghrelin and peptide YY release may be impaired in obesity.
Diabetes. 2008 Sep;57(9):2332-40. Epub 2008 Jun 20
- 48) G. Vila, C. Maier, M. Riedl, P. Nowotny, B. Ludvik, A. Luger, **M. Clodi**
Bacterial endotoxin induces biphasic changes in plasma ghrelin in healthy humans
J Clin Endocrinol Metab. 2007 Oct;92(10):3930-4
- 49) **M. Clodi**, M. Resl, D. Stelzeneder, G. Pacini, A. Tura, D. Mörtl, J. Struck, N.G.
Morgentahler, A. Bergmann, M. Riedl, M. Stadler, A. Luger, R. Pacher, M. Hülsmann
Interactions of glucose metabolism and chronic heart failure
Exp Clin Endocrinol Diabetes. 2008 Sep 30]
- 50) M. Hülsmann, S. Neuhold, G. Strunk, D. Moertl, R. Berger, R. Prager, M. Riedl, R.
Pacher, A. Luger, **M. Clodi**
NT-proBNP has a high negative predictive value to rule-out short-term cardiovascular
events in patients with diabetes mellitus.
Eur Heart J. 2008 Sep;29(18):2259-64
- 51) Riedl M, Vila G, Maier C, Handisurya A, Shakeri-Manesch S, Prager G, Wagner O,
Kautzky-Willer A, Ludvik B, **M. Clodi**, Luger A.
Plasma osteopontin increases after bariatric surgery and correlates with markers of
bone turnover but not with insulin resistance.
J Clin Endocrinol Metab. 2008 Jun;93(6):2307-12
- 52) Maier C, Riedl M, Vila G, Nowotny P, Wolzt M, **Clodi M**, Ludvik B, Luger A
Cholinergic regulation of ghrelin and peptide YY release may be impaired in obesity.
Diabetes. 2008 Sep;57(9):2332-40
- 53) **M. Clodi**, Vila G, Geyeregger R, Riedl M, Stulnig TM, Struck J, Luger TA, Luger A

- Oxytocin alleviates the neuroendocrine and cytokine response to bacterial endotoxin in healthy men.
Am J Physiol Endocrinol Metab. 2008 Sep;295(3):E686-91
- 54) Vila G, Resl M, Stelzeneder D, Struck J, Maier C, Riedl M, Hülsmann M, Pacher R, Luger A, **M. Clodi**
Plasma NT-proBNP increases in response to LPS administration in healthy men.
J Appl Physiol. 2008 Dec;105(6):1741-5
- 55) Resl M, Hülsmann M, Pacher R, **M. Clodi**
Diabetische Herzinsuffizienz
Wien Med Wochenschr. 2009;159(5-6):134-40
- 56) Vila G, Riedl M, Maier C, Struck J, Morgenthaler NG, Handisurya A, Prager G, Ludvik B, **Clodi Martin and Luger A.**
Plasma MR-proADM correlates to BMI and decreases in relation to leptin after gastric bypass surgery.
Obesity (Silver Spring). 2009 Jun;17(6):1184-8
- 57) Handisurya A, Riedl M, Vila G, Maier C, **Clodi M**, Prikoszovich T, Ludvik B, Prager G, Luger A, Kautzky-Willer A
Serum Vaspin Concentrations in Relation to Insulin Sensitivity Following RYGB-Induced Weight Loss
Obes Surg. 2009 Jun 9.
- 58) Vila G, Riedl M, Resl M, van der Lely AJ, Hofland LJ, **Clodi and Luger A.**
Systemic administration of oxytocin reduces basal and LPS-induced plasma ghrelin levels in healthy men
J Endocrinol. 2009 Oct;203(1):175-9. Epub 2009 Jul 8.
- 59) **Maier C and Clodi M**, Neuhold S, Resl M, Elhenicky M, Prager R, Moertl D, Strunk G, Luger A, Struck J, Pacher R, Hülsmann M.
Endothelial markers may link kidney function to cardiovascular events in type 2 diabetes.
Diabetes Care. 2009 Oct;32(10):1890-5
- 60) Schmidinger M, Vogl UM, Bojic M, Lamm W, Heinzl H, Haitel A, **Clodi M**, Kramer G, Zielinski CC
Hypothyroidism in patients with renal cell carcinoma: blessing or curse?
Cancer. 2011 Feb 1;117(3):534-44. doi: 10.1002/cncr.25422. Epub 2010 Sep 15
- 61) Maier C, Riedl M, Vila G, Wolzt M, **Clodi M**, Ludvik B, Luger A.
Differential Regulation of Plasma Obestatin and Ghrelin by Meal Intake and the Cholinergic System in Lean, But Not Obese Individuals.
J Clin Endocrinol Metab. 2010 Jul 21 [Epub ahead of print]
- 62) Vila G, Krebs M, Riedl M, Baumgartner-Parzer SM, **Clodi M**, Maier C, Pacini G, Luger A.
Acute effects of hydrocortisone on the metabolic response to a glucose load: increase in the first-phase insulin secretion.
Eur J Endocrinol. 2010 Aug;163(2):225-318

- 63) Grimm G, Vila G, Bieglmayer C, Riedl M, Luger A, **Clodi M**
Changes in osteopontin and in biomarkers of bone turnover during human
endotoxemia.
Bone. 2010 Aug;47(2):388-91
- 64) Resl M, **Clodi M**
Diabetes and cardiovascular complications
Wien Med Wochenschr. 2010 Jan;160(1-2):3-7. Review. German.
- 65) M. Resl, S. Neuhold, M. Elhenicky, M.Riedl, H.Abrahamian, R. Prager, **M. Clodi**, M.
Hülsmann, A. Luger, R. Pacher
NT-proBNP and cardiac events in older diabetic patients
Eur J Cardiovasc Prev Rehabil. 2011 Feb 22. [Epub ahead of print]
- 66) **M. Clodi**, M. Resl, M. Hülsmann, G.Vila, M. Elhenicky, G. Strunk, S. Neuhold, H.
Abrahamian, R. Prager, A. Luger, R. Pacher
A comparison of NT-proBNP and albuminuria for predicting cardiac events in patients
with diabetes mellitus
Eur J Cardiovasc Prev Rehabil. 2011 Aug 19
- 67) G. Locker, E. Fuchs, N. Worel, A.Bojic, G. Heinrich, T. Brodowicz, **M. Clodi**, G.
Funk, P. Knöbl, C. Zielinski, W. Köstler
Minimal invasive perfusion induced whole body hyperthermia in patients with
metastatic soft tissue sarcoma (in press)
- 68) G. Vila, M. Riedl, C. Anderwald, M. Resl, A. Handisurya, **M. Clodi**, G. Prager, B.
Ludvik, M. Krebs, A. Luger
The relationship between insulin resistance and the cardiovascular biomarker growth
differentiation factor-15 in obese patients
Clin Chem. 2011 Feb;57(2):309-16. Epub 2010 Dec 16
- 69) M. Riedl, B. Ludvik, G. Pacini, **M. Clodi**, H. Kotzmann, O. Wagner, A. Kautzky-
Willer, R. Prager, and A. Luger
The increased insulin sensitivity in growth hormone deficient adults is reduced by
growth hormone replacement therapy
Eur J Clin Invest **2000**; 30(9):771-778
- 70) **M. Clodi**, P. Fasching, F. Hoppichler, A.Kautzky-Willer, M. Lechleitner,
B. Ludvik, R. Prager, M. Roden, G. Scherthaner, H. Toplak, T. Wascher, R.
Weitgasser
Antidiabetische Therapie bei Typ-2 Diabetes
Wien Klin Wochenschr (2009) 121 [Suppl 5]: S13–S17
- 71) R. Weitgasser, **M. Clodi**, G. Kacerovsky-Bielesz, P. Grafinger, K. Howorka,
M. Lechleitner, B. Ludvik
Diabetesschulung bei Erwachsenen mit Diabetes
Wien Klin Wochenschr (2009) 121 [Suppl 5]: S70–S72
- 72) M. Resl, **M. Clodi**
Ein Hormon stellt sich vor: Ghrelin

- 73) Neuhold S, Resl M, Huelsmann M, Strunk G, Adlbrecht C, Rath C, Prager R, Luger A, **Clodi M**, Pacher R
Repeat measurements of glycated hemoglobin A(1c) and N-terminal pro-B-type natriuretic peptide: divergent behavior in diabetes mellitus
Eur J Clin Invest. 2011 May 25
- 74) M. Resl, **M. Clodi**, S. Neuhold, H. Kromoser, M. Riedl, R. Prager, R. Pacher, G. Strunk, A. Luger, M. Huelsmann
Serum uric acid is related to cardiovascular events and correlates with NT-proBNP and albuminuria in patients with diabetes mellitus
Diabetic Medicine, 2011 (in press)
- 75) M. Resl, G. Vila, R. Pacher, A.Luger, M. Hülsmann, S. Neuhold, H. Brath, R. Prager, **Martin Clodi**;
Estimated glomerular filtration rate and albuminuria: true predictors of cardiovascular events in obese patients with Type 2 Diabetes? (submitted)
- 76) Michael Resl, Stephanie Neuhold, Rudolf Prager, E.Wohlschläger Anton Luger, Richard Pacher, **Martin Clodi** and Martin Hülsmann;
Cardiovascular Hospitalization is a predictor of mortality in patients with diabetes mellitus (submitted)
- 77) Heidemarie Abrahamian, Michael Resl, Richard Pacher, Martin Hülsmann, Anton Luger, Stephanie Neuhold, Alexandra Kautzky-Willer, Rudolf Prager, **Martin Clodi**;
Testosterone deficiency predicts elevation of NT-proBNP in type 2 diabetic males (submitted)
- 78) G. Vila, G. Grimm, M. Resl, B. Heinisch, B. Dieplinger, T. Mueller, A. Luger, **Martin Clodi**;
B-type natriuretic peptide modulates ghrelin, hunger and satiety in healthy men (Diabetes, in press)
- 79) B. Heinisch, G. Vila, M. Resl, M. Riedl, B. Dieplinger, T. Mueller, A. Luger, G. Pacini, **Martin Clodi**; B type natriuretic peptide affects the initial response to intravenous glucose in a placebo controlled cross over study in healthy volunteers (Diabetologia, Dec, 13, 2011)
- 80) Christina Maier, H. Kromoser, M. Resl, G. Locker, **M.Clodi**
Prediction of survival by students, residents and specialists (submitted)

Bücher, Buchbeiträge:

Insulinresistenz bei chronischer Herzinsuffizienz

Michael Resl, Martin Clodi

2008, 72 Seiten, Maße: 22 cm, Kartoniert (TB), Deutsch, VDM Verlag Dr. Müller, ISBN-10:
3639014790

ISBN-13: 9783639014792

Physikalische Krankenuntersuchung

Archiv Study Guides

M. Clodi 2004